

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT

APPLICANT(S) : Chun-Fai Cheng

TITLE : METHOD AND APPARATUS FOR
GRAY-SCALE GAMMA CORRECTION
FOR ELECTROLUMINESCENT
DISPLAYS

APPLICATION NO. : 10/701,051

FILED : November 4, 2003

CONFIRMATION NO. : 5563

EXAMINER : Jeffrey J. Piziali

ART UNIT : 2629

LAST OFFICE ACTION : May 22, 2009
ATTORNEY DOCKET NO. :
SMBZ 2 00980
Cleveland, OH 44114
June 18, 2009

RESPONSE TO INTERVIEW SUMMARY

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicant has received the Interview Summary for the telephonic interview held on May 19, 2009 and issued by the Examiner on May 22, 2009 in connection with the above-referenced patent application. The participants discussed the response was improper because the application lacked a signature and the replacement sheet for Figure 7 appeared "to rearrange and disconnect various portions of the illustrated circuit."

Applicant confirms that the applicant's representative and the Examiner discussed the lack of signature on the amendment and an agreement with respect to the drawing (FIG. 7) was reached.

Respectfully submitted,

Fay Sharpe LLP



John S. Zanghi, Reg. No. 48,843
The Halle Building, 5th Floor
1228 Euclid Avenue
Cleveland, Ohio 44115-1843
216-861-5582

Date

6/18/09

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence (and any item referred to herein as being attached or enclosed) is (are) being

- ☐ deposited with the United States Postal Service as First Class Mail, addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date indicated below.
- ☒ transmitted to the USPTO by electronic transmission via EFS-Web on the date indicated below.

Express Mail Label No.:

Signature: 

Date:

6-18-09

Name: Elaine M. Checovich

N:\SMBZ\200980\EMC0008634V001.DOCX